

CITY OF LOS ANGELES

CALIFORNIA



ERIC GARCETTI
MAYOR

DEPARTMENT OF
PUBLIC WORKS

BUREAU OF
ENGINEERING

GARY LEE MOORE, PE, ENV SP
CITY ENGINEER

1149 S. BROADWAY, SUITE 700
LOS ANGELES, CA 90015-2213

<http://eng.lacity.org>

BOARD OF PUBLIC WORKS MEMBERS

Vacant
PRESIDENT

AURA GARCIA
VICE PRESIDENT

DR. MICHAEL R. DAVIS
PRESIDENT PRO TEMPORE

JESSICA M. CALOZA
COMMISSIONER

M. TERESA VILLEGAS
COMMISSIONER

DR. FERNANDO CAMPOS
EXECUTIVE OFFICER

March 14, 2022

John Bianco
Curb-O-Let Products
9421 Monterey Avenue
Bellflower, CA 90706

**SUBJECT: 2ND EXTENSION – APPROVAL RENEWAL OF CURB-O-LET RECTANGULAR
STEEL DRAIN PIPES CP-SP305H, CP-SP308H, CP-SP312H, CP-SP414H,
CP-SP317H, CP-SP327H, CP-SP422H, AND CP-SP428H BR800048**

Dear Mr. Bianco:

Approval of the Curb-O-Let Rectangular Steel Drain Pipes CP-SP305H (3"x5"), CP-SP308H (3"x8"), CP-SP312H (3"x12"), CP-SP414H (4"x14"), CP-SP317H (3"x17"), CP-SP327H (3"x27"), CP-SP422H (4"x22") and CP-SP428H (4"x28") for use in the City of Los Angeles has been renewed for two years. This approval will expire on March 22, 2024. At the end of this period, the approval may be renewed for an additional two years. This is the second extension of three extensions maximum. A new submittal is required eight years after the initial approval. The approved drain pipes are for sidewalk use only and cannot be used in roadway, driveways, alleys or vehicular traffic areas. Drain pipe shall be installed with corresponding Curb-O-Let curb drain. Installation requires use of reinforcement along sidewalk slab, see drawing details.

The City assumes no responsibilities for any and all safety related issues in regard to the installation and use of this product. It is the responsibility of the installer to understand the appropriate use and limitations of this product and to address any and all safety concerns with the manufacturer. Further, it is the installer's responsibility to conform to all applicable industry guidelines and regulatory safety requirements.

Please be advised that you are required to report any changes in material or geometry of this product to the City immediately. A recertification of this product is required prior to the expiration of this approval. Please maintain a copy of the approval for your record and provide one to your user or the Contractor to be used at the job site. If you have any questions, please contact Mr. Edward Arrington at 213-485-1694.

Sincerely,

Edward Arrington, S.E., ENV SP
Engineer of Design
Wastewater Conveyance Engineering Division
Bureau of Engineering

